

Number	B-POP4
Indicator name	Population
Area	P
Indicator definition	The number of residents permanently living in the building
Indicator unit	number
Key words	Residents of the building, users of the building
Reason for tracking and usability	The population data is included in further calculations. The number of inhabitants affects the sensitivity of the building and is also related to the adaptive capacity (communication, cooperation). Residents affect greenhouse gas emissions from the building.

**Completeness,
representativeness, validity**

Permanent occupants of the building are counted. For non-residential buildings, a recalculation is made (see below). In some cases, there will be significant fluctuations and inaccuracies – inconsistencies between the records and the actual situation.

The KLIMASKEN tool is designed primarily for the evaluation of residential buildings. However, it can also be used appropriately for the assessment of other building types that are similar to residential buildings and serve a similar purpose. In the case of the assessment of such buildings, it is necessary to convert the building users number to effective occupants (EfO) so that the result is roughly comparable to an residential (apartment) building.

Case-by-case procedure:

Children, pupils and students in nursery, primary, secondary and higher education are counted as 0.3 EfO, teachers and other staff as 0.5 EfO. In the case of hospitals, bed capacity multiplied by average daily occupancy is counted as 1.0 EfO, staff as 0.5 EfO. For polyclinics and ambulances, i.e. health establishments without an inpatient part, only staff shall be counted as 0,5 EfO. In offices and similar administrative buildings or office buildings, staff shall be counted as 0,5 EfO. In accommodation establishments, the bed capacity multiplied by the average daily use of this capacity shall be counted as 0,5 EfO and the number of staff in the operation as 1,0 EfO. In old people's homes, children's homes, hospitals, etc., the average number of clients and staff shall be counted as 1,0 EfO.

This is only a non-binding guide. Full comparability for different buildings entered in the evaluation by different authors cannot be ensured. For buildings whose type is not indicated above, discretion should be exercised.

**Description of data
processing**

The indicator will be used to classify the building in the relevant category and also as a starting point for further calculations.

Data source

Own data of the owner/administrator, population register

Tracking frequency

2-3 years, always when updating the KLIMASKEN rating

Urban influence

The city/city district/municipality can indirectly affect the occupancy of buildings, e.g. acting to change the predominant use of the sites concerned, their development, maintenance, etc.

Presentation method

As a separate data or category

Responsibility

Processor KLIMASKEN, owner, administrator
